




FOOT AND ANKLE IMPLANTS & INSTRUMENTS

T165 2.7mm Locking Compression Screws



LENGTH
10mm to 40mm (2mm Increment)

MATERIAL
Titanium


T075 2.7mm Cortex Screws (Self Tapping)



LENGTH
10mm to 30mm (2mm Increment)
35mm to 40mm (5mm Increment)

MATERIAL
Titanium

T199 2.7mm Locking Compression Screws Star Head



LENGTH
10mm to 40mm (2mm Increment)

MATERIAL
Titanium

T458 2.7mm Cortex Screws (Self Tapping) Star Head



LENGTH
12mm to 30mm (2mm Increment)
35mm to 40mm (5mm Increment)

MATERIAL
Titanium

T1001.01 First MTP Fusion Plate Small



ANGLED
Left & Right
MATERIAL
Titanium

T1001.02 First MTP Fusion Plate Medium



ANGLED
Left & Right
MATERIAL
Titanium

T1002.01 First TMT Fusion Plate Standard

T1002.02 First TMT Fusion Plate Long



MATERIAL
Titanium

T1003.01 Second TMT Fusion Plate



MATERIAL
Titanium

Implants

- T1004.01** Cloverleaf Fusion Plate Short
T1004.02 Cloverleaf Fusion Plate Standard



MATERIAL
Titanium

- T1005.01** T Fusion plate Short
T1005.02 T Fusion plate Standard



MATERIAL
Titanium

- T1006.01** L Fusion Plate Short



ANGLED
Left & Right
MATERIAL
Titanium

- T1006.02** L Fusion Plate Standard



ANGLED
Left & Right
MATERIAL
Titanium

- T1007.01** Straight Fusion Plate



MATERIAL
Titanium

- T1008.01** X - Plate Extra Small
T1008.02 X - Plate Small
T1008.03 X - Plate Medium
T1008.04 X - Plate Large



MATERIAL
Titanium

- T1009.08** Foot Calcaneal Plate 8Hole



ANGLED
Left & Right
MATERIAL
Titanium

- T1009.09** Foot Calcaneal Plate 9Hole



ANGLED
Left & Right
MATERIAL
Titanium

601.021 Drill Bits 2.3mm x 150mm for Quick Coupling T Handle



733.027 LCP Drill Sleeve 2.7mm, For Drill Bits 2.3mm



614.T08 Shaft for Star Screw Driver T08 Tip for 2.4/2.7mm screws



735.06 Torque Limit Adapter 0.8 Nm



612.011 Quick Coupling Stright Handle



609.005 Depth Guage 50mm Length for 2.4/2.7mm Screw




603.001 Quick Coupling T Handle



706.008 Retractor 8mm wide



689.205 Reduction Forceps With Points Length 205mm



689.140 Reduction Forceps With Points Length 140mm



711.001 Periosteal Elevator Curved Blade 6mm wide



609.006 Measuring Device 40mm Length for 2.4/2.7mm Screw



613C.027 Holding Sleeve for Locking screws 2.4/2.7mm

613D.027 Holding Sleeve for Non Locking screws 2.7mm



614.020 Shaft for Hexagonal Screw Driver 2.0mm Tip for 2.4/2.7mm screws

614.025 Shaft for Hexagonal Screw Driver 2.5mm Tip for 3.5/4.0mm screws



731.009 Compression Forceps for Foot and Ankle



611.001 Mini Plate Forceps Self- Holding



SAGC.23 Foot and Ankle 2.7mm Set



Implants

Code No.	Description	Qty.
T1001.01	First MTP Fusion Plate Small (Left & Right)	1
T1001.02	First MTP Fusion Plate Medium (Left & Right)	1
T1002.01	First TMT Fusion Plate Standard	1
T1002.02	First TMT Fusion Plate Long	1
T1003.01	Second TMT Fusion Plate	1
T1004.01	Cloverleaf Fusion Plate Short	1
T1004.02	Cloverleaf Fusion Plate Standard	1
T1005.01	T Fusion plate Short	1
T1005.02	T Fusion plate Standard	1
T1006.01	L Fusion Plate Short (Left & Right)	1
T1006.02	L Fusion Plate Standard (Left & Right)	1
T1007.01	Straight Fusion Plate	1
T1008	X - Plate Size: Extra Small, Small, Medium, Large	1
T1009.08	Foot Calcaneal Plate 8Hole (Left & Right)	1
T1009.09	Foot Calcaneal Plate 9Hole (Left & Right)	1
T075	2.7mm Cortex Screws (Self Tapping) Length: 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm	8
T165	2.7mm Locking Compression Screws Length: 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm	8
OR		
T199	2.7mm Locking Compression Screws Star Head Length: 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm	8
T458	2.7mm Cortex Screws (Self Tapping) Star Head Length: 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm	8

Instruments

Code No.	Description	Qty.
601.021	Drill Bits 2.3mm x 150mm for Quick Coupling T Handle	2
733.027	LCP Drill Sleeve 2.7mm, For Drill Bits 2.3mm	2
614.T08	Shaft for Star Screw Driver T08 Tip for 2.4/2.7mm screws	1
735.06	Torque Limit Adapter 0.8 Nm	1
612.011	Quick Coupling Stright Handle	1
609.005	Depth Guage 50mm Length for 2.4/2.7mm Screw	1
603.001	Quick Coupling T Handle	1
706.008	Retractor 8mm wide	2
689.205	Reduction Forceps With Points Length 205mm	1
689.140	Reduction Forceps With Points Length 140mm	1
711.001	Periosteal Elevator Curved Blade 6mm wide	1
609.006	Measuring Device 40mm Length for 2.4/2.7mm Screw	1
613C.027	Holding Sleeve for Locking screws 2.4/2.7mm	1
613D.027	Holding Sleeve for Non Locking screws 2.7mm	1
614.020	Shaft for Hexagonal Screw Driver 2.0mm Tip for 2.4/2.7mm screws	1
614.025	Shaft for Hexagonal Screw Driver 2.5mm Tip for 3.5/4.0mm screws	1
731.009	Compression Forceps for Foot and Ankle	1
611.001	Mini Plate Forceps Self- Holding	1



House of Ortho Tools

Hardik International Pvt. Ltd.

Plot No. G-2041/42/A, Kishan Gate, Lodhika G.I.D.C.,
Kalawad Road, Metoda, RAJKOT-360 021, (INDIA).

info@hardikinternational.com
www.hardikinternational.com

☎ : +91 97370 47470/1/2/4 | 📞 : hardikinternational

Follow Us :     